Crystalyte Materials Index

TEM	Part No.	Description
		Crystalyte Motor
1	H35 F	Crystalyte H3525,H3540,H3548 front wheel motor / Speed base on 36V
2	H35 Motor R	Crystalyte H3525,H3540,H3548 rear wheel motor / Speed base on 36V
3	H40 Motor R	Crystalyte H4065,H4080,H40100 Motor Rear / Speed base on 72V
4	H25 Motor F	Crystalyte H2225,H2240,H2248 front wheel / Speed base on 36V
5	TC Motor R	Crystalyte TC65, TC80,TC100 Motor Rear wheel/Speed base on 72V + 12G Spokes for TC motor
6	G Motor F	Crystalyte G40,G30 front wheel motor / Speed base on 36V
7	G Motor R	Crystalyte G40,G30 Rear wheel motor design for 8speed cassette / Speed base on 36V
8	G-Hub	Free hub for G rear wheel motor
9	SAW Motor F	SAW406, SAW4012 Motor Front wheel / Speed base on 36V
10	SAW Motor R	SAW406, SAW4012 Motor Rear wheel / Speed base on 36V
11	NSM 209 F	NSM 209 Motor Front wheel for Brompton / Speed base on 36V
12	5400 Motor R	5403 rear wheel motor, Motor dropout :150mm or 162mm / Speed base on 72V

Remark: - H front wheel motor and SAW front dropout:100mm

- NSM front wheel motor dropout:75mm
- H rear wheel motor and SAW rear wheel dropout:135mm
- TC rear wheel motor dropout:140mm
- G rear wheel motor for 8 speed cassette
- H35 and H40 motor and TC motor and 5403 motor available 36V to 72V / TC motor and 5403 motor available 36V-72V G motor and SAW motor and NSM motor available 36V
- All motor for NSK bearing and SS411A hall effect sensor
- Motor no include temperature sensor

		Motor Torque Arm	
13	TQARM	Crystalyte Torque Arm - Universal for all Hub Motors - Front and Rear	
	•	Motor laced with Wheel	
14	MLW-Rim	Motor laced with 20", 24",26",700c wheel (23mm or 31mm wide)	
	•	Crystalyte Contrller	
15	CT3625	36V 25A Controller for Sensor or Sensorless Motors	
16	CT4825	48V 25A Controller for sensor or sensorless Motors	
17	CT3640	36V 40A Controller for sensored or sensorless motors	
18	CT7240	72V 40A Controller for sensored or sensorless motors	
19	CT4850	48V 50A controller for sensored or sensorless motors	
20	CT7250	72V 50A controller for sensored or sensorless motors	
21	CT7260	72V 60A controller for sensored or sensorless motors	
22	CT7280	72V 80A controller for sensored or sensorless motors	
23	CT9645	96V 45A controller for sensored or sensorless motors	
24	CT9680	96V 80A controller for sensored or sensorless motors	
25	CT9690	96V 90A controller for sensored or sensorless motors	
Remark.	rly 25A 40A 45A controller 12ncs mosfets		

Remark: 25A, 40A, 45A controller 12pcs mosfets

50A, 60A controller 18pcs mosfets

80A, 90A controller 24pcs mosfets

	ook, sok control	tel 24pes mostets
		Crystalyte APM
26	APM-Display	Active Power Management Display for Crystalyte Contrller
		Rim
27	23MM Rim16	Black or Silver Rim for Hub Motor 16 inch (12.5 inches diameter, 23mm wide)
28	23MM Rim20"	Black or Silver Rim for Hub Motor 20 inch (16.5 inches diameter, 23mm wide)
29	23MM Rim24	Black or Silver Rim for Hub Motor 24 inch (20.5 inches diameter, 23mm wide)
30	23MM Rim26	Black or Silver Rim for Hub Motor 26 inch (22.5 inches diameter, 23mm wide)
31	23MM Rim700	Black or Silver Rim for Hub Motor 29/700C (25 inches diameter, 23mm wide)
32	31MM Rim20	Black or Silver Rim for Hub Motor 20 inch (16.5 inches diameter, 31mm wide)
33	31MM Rim24	Black or Silver Rim for Hub Motor 24 inch (20.5 inches diameter, 31mm wide)
34	31MM Rim26	Black or Silver Rim for Hub Motor 26 inch (22.5 inches diameter, 31mm wide)
35	31MM Rim700	Black or Silver Rim for Hub Motor 29/700C (25 inches diameter, 31mm wide)
		Spokes
36	SP-12STL	12# Stainless Steel Spoke
37	SP-13STL	13# Stainless Steel Spoke
38	SP-12STL	12# Stainless Steel Spoke For TC Motor
кентагк	.S	

Spoke length is determined by the size of motor and rim. Please specify the length of the spokes or the model of motors (motor number, front or rear wheel) and size of the rims for which the spokes are used on.

	Battery Box		
39	BBX-01	Battery Box No. 1 For 36V 12Ah SLA Battery	
40	BBX-03	Battery Box No. 3 For 36V 9Ah LiMn2O4 Battery	
41	BBX-04	Battery Box No. 4 For 36V 9Ah Li-ion 18650 Battery	

	Battery Bag and Metal Battery Brackets		
42	RB-3	Battery bag for 36V 12Ah SLA battery pack	
43	RB-2	Battery bag for 48V 12Ah SLA battery pack	
44		Battery saddle bag (Material for PVC)	
45	RBL - BAG	Battery bag for 24V,36V,48V Lithiumb battery pack	
_	BattBrkt	Metal Battery Brackets (pair)	
		Simu Leather Bags for Battery Brackets (pair) tain Key Switch and Harness Wiring with Charging Port	
		n + Harness Wiring with Charging Port \$13.00/set (KW-HW)	
		Throttle & Brake & Cruise & PAS	
48	TH-STG	Split Twist Grip Throttle	
49	TH-STG36/48-LED	36V or 48V Split Twist Grip Throttle with Power Indicator	
50	TH-FTG	Full Twist Grip Throttle	
51		36V or 48V Full Twist Grip Throttle with Power Indicator	
52	TH-THM	Thumb Throttle	
53	TH-THM36/48-LED CRS	36V or 48V Thumb Throttle with Power Indicator Cruise Controller	
57		Electric Brake Cut off	
33		Pedal Assistant Sensor Controller Matching V5 PAS	
	PAS-V7	Pedal Assistant Sensor Controller Matching V7 PAS	
	SA-3	3-speed adjustor	
	SA-2	On and off switch mount on handle bar	
60	SA-1	Switch for horn	
61	RevSW	Handlebar mounted reverse switch for Crystalyte hub kits	
ļ	E107.4	Freewheel	
02	FW-7	1 Speed Gear Freewheel 7 Speed Gear Freewheel	
63 64	FW-8	8 Speed Gear Freewheel	
64		Spokes wrench	
65	WR-SP12or13	Spoke Wrench for 12 Gauge Spokes or 12 gauge Spokes	
03		Motor wrench	
66	WR-19	19mm Wrench for	
		Extension Cable and Wire set	
67	Extn-THR2	1 ft Throttle Extension for Crystalyte Throttles	
-	Extn-THR	4ft Throttle Extension for Crystalyte Throttles	
69	ExtnPX	4Ft Battery wire extension with 50A Anderson connector on both ends	
70	Extn-BRAKE	Extension for Crystalyte Brake Inhibits	
		Extension for Crystalyte Cruise Control	
-		Extension for Crystalyte Reverse Switch	
73 74	Extn-XLR Extn-HE	Battery wire extension with XLR connector on each end	
75	Jumper2	Hall Effect Sensor Wire Extension for Crystalyte Motor Jumper wire appx 36 inches with 1/4 inch terminals each end	
76	Jumper	Jumper wire appx 50 inches with 1/4 inch terminals each end	
77	Extn-APM	APM-Display Extension cable	
78	WireSet	Key Switch + Harness Wiring with Charging Port for Lithiumb battery or SLA battery	
79	KS	Key Switch	
	SXLR-M	Connectors Mini XLR Male Connector for Hall Effect Sensor	
- 00		Mini XLR Female Connector for Hall Effect Sensor Mini XLR Female Connector for Hall Effect Sensor	
01		Big XLR Male Connector	
02		Big XLR Female Connector	
0.5	PLK-3M	3-pin Male Plastic Connector	
0-1	PLK-3F	3-pin Female Plastic Connector	
	PLK-4M	4-pin Male Plastic Connector	
	PLK-4F	4-pin Female Plastic Connector	
00		5-pin Male Plastic Connector for Hall Effect Sensor	
0.5		5-pin Female Plastic Connector for Hall Effect Sensor	
30	PLK-6M	6-pin Male Plastic Connector for Cycle Analyst	
31	PLK-6F AND-B40	6-pin Female Plastic Connector for Cycle Analyst Anderson Connector (Black) Max.40A	
92		Anderson Connector (Black) Max.40A Anderson Connector (Red) Max.40A	
- 55	AND-R40		
31		50A Anderson connector for battery (Big)	
-	BL-XT150 XT90	Bullet XT150 connectors Male and Female (Pair) XT90 connectors for battery cable Male and female (Pair)	
30		Disk Brake	
97	Rotor6	6 inch Disc Rotor for Disc Brakes(160MM)	
	Rotor7	7 inch Disc Rotor for Disc Brakes (180MM)	
99	Caliper	Disc brake caliper	
		Page 2/3	
1			

		Fuse and Fuse Holder
100	fuse20	20A ATO Fuse
101	fuse40	40A ATO Fuse
102	FuseHolder50	Fuse Holder 50A includes fuse
103	FuseHolder	Fuse Holder up to 40A includes 40A fuse
	-	Hall Effect Sensor
104	HESens-B	Hall effect sensor - Blue Signal/Return wire
105	HESens-G	Hall effect sensor - Green Signal/Return wire
106	HESens-Y	Hall effect sensor - Yellow Signal/Return wire
		Other part
107	ScrewPX M4	TORX Allen screw M4 nut for H motor case (Sensorless Motor)
108	ScrewPX M4	TORX Allen screw M4 nut for H motor case (disc brake case)
109	ScrewPX M4	TORX Allen screw M4 nut for H motor case (non-disc case)
110	ScrewRR M5	TORX Allen screw M5 nut for H motor case (Sensorless Motor)
111	ScrewRR M5	TORX Allen screw M5 nut for H motor case (disc brake case)
112	ScrewRR M5	TORX Allen screw M5 nut for H motor case (non-disc case)
113	Nut H	Axle nut for H Motor
114	Nut G	Axle nut for G Motor
115	LockWashPX	Lock Washer for Axle
116	SlotWashPX	Slotted Washer for Axle
117	RimStrip-Nyl	Nylon Rim Strip for 16 inch thru 29/29/700C bike rim
118	VSP	Velcro Strap
119	NTC	Nylon Tie for Cables
		Page3/3